

Not only helps control the hazards of cross-contamination on treated hard, nonporous, environmental surfaces, but also kills many microorganisms that cause odors. This product is for disinfecting hard, nonporous surfaces. For use in schools, colleges, universities and office buildings, health care facilities, medical and dental offices, nursing homes, and airports.

KITCHEN: Kitchen floors collect both traffic dirt and kitchen germs. Use anywhere greasy dirt is a problem.

BATHROOM: Great for cleaning and deodorizing basins, tubs, and glazed tiles. Leaves everything bright and clean, kills odor causing bacteria. Odors disappear instantly. Use where odors are a problem.

This product is a one-step Hospital use disinfectant, Bactericidal according to the current AOAC use-Dilution Test Method and Virucidal* according to the virucidal qualification modified in the presence of 5% organic serum against: Bacteria: *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella enterica*, *Streptococcus pyogenes*; Viruses: *Herpes Simplex Virus Type 2, *HIV-1, *Influenza Type A/Brazil Virus.

This product is effective against the pathogenic fungi *Trichophyton mentagrophytes* (Athlete's Foot Fungus) when used as directed for disinfection with a contact time of 10 minutes on hard nonporous surfaces in bathrooms including shower stalls, floors, bath mats, and glazed bathroom tiles and locker room benches.

Effectively inhibits the growth of mold and mildew, plus the odors caused by them.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

DISINFECTION*/VIRUCIDAL/FUNGICIDAL/MOLD & MILDEW DIRECTIONS: If surfaces are visibly dirty preclean first. Apply with a mop, sponge, cloth, or sprayer on hard, nonporous surfaces to thoroughly wet surfaces. For sprayer applications use a coarse spray device. Spray 6-8 inches from surface. Avoid breathing spray. Rub with a brush, sponge or cloth. Treated surfaces must remain wet for 10 minutes. Wipe dry with a clean cloth, or sponge or allow to air dry. Rinsing is not necessary on floor surfaces that are to be waxed or polished. For mold and mildew control, repeat application weekly or when growth reappears. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. This product should not be used to clean utensils, glassware and dishes.

TO CLEAN AND DISINFECT TOILET BOWLS AND URINALS: Remove gross filth from bowl. Remove or expel over the inner trap residual bowl water. Use 4 ounces of product in toilet bowl or urinal. Apply directly around bowl and under rim; then brush or swab thoroughly. Allow product to remain on surface for a contact time of 10 minutes, then flush toilet. This product, when used as directed, will not harm white or colored bowls or inanimate, hard surfaces. Close cap on container after use.

TO CLEAN AND/OR DEODORIZE: Apply by mop, sponge, cloth, or spray on hard, nonporous surfaces. Wipe dry with a clean cloth or sponge, or allow to air dry.

SANITIZING NON-FOOD CONTACT SURFACES: Use on washable, hard, nonporous surfaces: walls, floors, tables, garbage cans and telephones. The product is effective against *Staphylococcus aureus*

GERM-A-CIDE RTU

Foaming Germicidal Cleaner

One Step - *Virucidal

Ready to Use Germicide

Cleaner • Disinfectant • Deodorant

Kills Pandemic 2009 H1N1 Influenza A Virus



ACTIVE INGREDIENTS

n-Alkyl (C₁₄ 60%, C₁₆ 30%, C₁₂ 5%, C₁₈ 5%) dimethyl benzyl ammonium chloride 0.09%
n-Alkyl (C₁₂ 50%, C₁₄ 30%, C₁₆ 17%, C₁₈ 3%) dimethyl ethyl-benzyl ammonium chloride 0.09%

OTHER INGREDIENTS 99.82%

TOTAL 100.00%

EPA Reg. No. 47371-97-58111

EPA Est. No. 44446-TX-1

KEEP OUT OF REACH OF CHILDREN

CAUTION:

See Additional Precautionary Statements and First Aid on Back Panel

NET CONTENTS: 1 QUART (32 FL. OZ.)

and Enterobacter aerogenes in the presence of 5% serum. Apply by mop, sponge, cloth, or spray to thoroughly wet surfaces for a minimum contact time of 5 minutes. Wipe dry with a clean cloth or sponge, or allow to air dry. Do not use in food preparation, food handling, and food storage areas. Do not use to sanitize glassware, dishes or utensils.

KILLS HIV-1 (AIDS VIRUS) ON PRECLEANED, ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in healthcare settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Clean-up must always be done wearing protective gloves, gowns, masks and eye protection.

Cleaning Procedures: Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant.

Contact Time: Effective against HIV-1 (AIDS Virus) on hard, nonporous surfaces in the presence of a moderate amount of organic soil (5% blood serum) (providing 1800 ppm of active quaternary) for a contact time of 5 minutes at room temperature (20-25°C). Use a ten (10) minute contact time for disinfection against all other bacteria, fungi, and viruses claimed.

Disposal of Infectious Materials: Blood and other body fluids must be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

CAUTION. Harmful if absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **Pesticide Storage:** Open dumping is prohibited. Store in original container in areas inaccessible to children. **Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

600003536

Made in USA

DISTRIBUTED BY:



TO REORDER CALL:

1-800-282-2133

PO BOX 430 CONWAY, AR 72033
1-800-282-2133 or 1-501-329-6965